

#### REFERENCES

1. ER 1110-2-1806, Earthquake Design and Analysis for Corps of Engineers Projects.
2. EM 1110-1-1801, Geological Investigations.
3. Slemmons, D. B., and Glass, C. E. 1978. State-of-the-Art for Assessing Earthquake Hazards in the United States, Imagery in Earthquake Analysis: Corps Report 11, P.O. Box 631, Vicksburg, MS 39180 221 pp, and 2 appendices.
4. Slemmons, D. B. 1977. State-of-the-Art for Assessing Earthquake Hazards in the United States, Faults and Earthquake Magnitude: Corps of Engineers, Waterway Experiment Station, Miscellaneous Paper S-73-1, Report 6, P.O. Box 631, Vicksburg, MS 39180, 129 pp, and 1 appendix.
5. Yegian, M. K. 1979. State-of-the-Art for Assessing Earthquake Hazards in the United States, Probabilistic Seismic Hazard Analysis: Corps of Engineers, Waterways Experiment Station, Misc. Paper S-73-1, Report 13, P.O. Box 631, Vicksburg, MS 39180, 130 pp, and 1 Appendix.
6. Krinitzsky, E. L., and Chang, F. K. 1977. State-of-the-Art for Assessing Earthquake Hazards in the United States, Specifying Peak Motions for Design Earthquakes, Corps of Engineers, Waterways Experiment Station, Miscellaneous Paper S-73-1, Report 7, P.O. Box 631, Vicksburg, MS 39180, 34 pp.
7. Krinitzsky, E. L., and Marcuson, W. F. III. 1983. Principles for Selecting Earthquakes Motions in Engineering Design: Bull. Assoc. Eng. Geol., P.O. Box 506, Short Hills, NJ 07078, In press.
8. Page, R. A., Boore, D. M., Joyner, W. B., and Coulter, H. W. 1972. Ground Motions Values for Use in the Seismic Design of the Trans-Alaska Pipeline System: U. S. Geological Survey Circular 672, USGPO Washington, DC 20402, 23 pp.
9. Donovan, N. C. 1973. A Statistical Evaluation of Strong Motion Data Including the February 9, 1971 San Fernando Earthquake: World Conference on Earthquake Engineering, V, Rome, Proceedings, v. 2, paper 155, International Association for Earthquake Engineering, Instituto di Scienza e Technica delle. Construzioni Politecnico di Milano, Piazza da Leonardo da Vinci, 32, 20133 Milano, Italia.
10. Algermissen, S. T., and Perkins, D. M. 1976. A Probabilistic Estimate of Maximum Acceleration in Rock in the Contiguous United States: United States Geological Survey Open-File Report 76-416, USGPO Washington, DC 20402, 45 pp.

Inclosure 3

11. Schnabel, P. B., and Seed, H. B. 1973. Accelerations in Rock for Earthquakes in the Western United States: Bull. Seism. Soc. Am., v. 62, 2620 Telegraph Ave., Berkeley, CA 94704, 501-516 pp.
12. Nuttli, O. W., and Herrmann, R. B. 1978. State-of-the-Art for Assessing Earthquake Hazards in the United States, Credible Earthquakes for the Central United States: Corps of Engineers, Waterways Experiment Station, Misc. Paper S-73-1, Report 12, P.O. Box 631, Vicksburg, MS 39180, 99 pp. and 1 Appendix.
13. Joyner, W. B., and Boore, D. M. 1981. Peak Horizontal Acceleration and Velocity from Strong Motion Records Including Records from the 1979 Imperial Valley, California, Earthquake: Bull. Seism. Soc. Am., v. 71, No. 6, 2620 Telegraph Ave., Berkeley, CA 94704, pp. 2011-2038.
14. Arias, A. 1970. A Measure of Earthquake Intensity, in Seismic Design of Nuclear Power Plants: R. J. Hanon, Editor, the Mass. Inst. Tech. Press., 28 Carleton Street, Cambridge, MA 02142.
15. Vanmarcke, .E H. 1979. State-of-the-Art for Assessing Earthquake Hazards in the United States, Representation of Earthquake Ground Motions: Scaled Accelerograms and Equivalent Response Spectra: Corps of Engineers, Waterways Experiment Station, Misc. Paper S-73-1, Report 14, P.O. Box 631, Vicksburg, MS 39180, 88 pp.
16. Bolt, F. A. 1973. Duration of Strong Ground Motion: V, World Conference on Earthquake Engineers, Rome, Proceedings, v. 2, No. 292, International Association for Earthquake Engineering, Instituto di Scienza e Technica delle Construzioni Politecnico di Milano, Piazza da Leonardo da Vinci, 32, 20133 Milano, Italia.
17. Seed, H. B., Murarka, R., Lysmer, J., and Idriss, I. M. 1976. Relationships of Maximum Acceleration, Maximum Velocity, Distance from Source, and Local Site Conditions for Moderately Strong Earthquakes: Bull. Seism. Soc. Am., 66, 2620 Telegraph Avenue, Berkely, CA 94704, pp 1323-1342.
18. Chang, F. K., and Krinitzsky, E. L. 1977. State-of-the-Art for Assessing Earthquake Hazards in the United States, Duration Spectral Content, and Predominant Period of Strong Motion Earthquake Records from Western United States: Corps of Engineers, Waterways Experiment Station, Misc. Paper S-73-1, Report 8, P.O. Box 631, Vicksburg, MS 39180, 58 pp., 1 Appendix.
19. Chang, F. K. 1981. Site Effects on Power Spectral Densities and Scaling Factors: Corps of Engineers, Waterways Experiment Station, Misc. Paper GL-81-2, P.O. Box 631, Vicksburg, MS 39180, 57 pp, 8 tables.
20. Chang, F. K. 1978. State-of-the-Art for Assessing Earthquake Hazards in the United States, Catalog of Strong Motion Earthquake Records: vol 1, Western United States, 1933-1971: Corps of Engineers, Waterways Experiment Station, Misc. Paper S-73-1, Report 8, P.O. Box 631, Vicksburg, MS 39180, 28 pp. and 2 Appendices.

ETL 1110-2-301

26 Aug 83

21. Hays, W. W. 1980. Procedures for Estimating Earthquake Ground  
Motions: U. S. Geological Survey Professional Paper 1114, USGPO, Washington  
DC 20402, 77 pp.